

August 5, 2005

Mr. John Anderson Environmental Health Division Department of Health Services City of Santa Rosa 3273 Airway Drive, Suite D Santa Rosa, CA 95403-2067

Re: Abandonment of Monitoring Well MW-3 (Texaco/Spaceco Storage) 421 Santa Rosa Avenue Santa Rosa, CA

Dear Mr. Anderson:

Monitoring well MW-3 located at the subject site has been successfully abandoned on July 18, 2005 according to the requirements of the well abandonment permit #4687. Attached are the well completion report and the boring log obtained from the abandoned monitoring well MW-3 for the overdrilled material. I also have photos saved on a CD. If you also need the photos, please call me at 510-307-9943 ext 231.

Thank you so much for your assistance on this task.

Sincerely,

Clearwater Group

Jim Ho, P.E.

Principal Engineer

CC: Joan Fleck, NCRWQCB

ORIGINAL File with DWR Page of			_		WELI	L COM	E OF CAL	ION REPO	ORT	WR USE	1	1	NG,		
Owner's Well I Date Work Begg	No. M	W	3	ne	, Ended	1/10/1	№. 77	8896		1.1	E WELL	NO.73			
Local Permit	Agency	100	Ç	1.0	4 Son	omei	di	1	_ []	ATITUDE		1.1	LONGITUDE		
Permit No.	7	- GI	EOLO	GI	Perr	nit Date_	5///	1/08	w	ĘLL OW,		RS/OTH	ER		
ORIENTATION (DRILLI	VERTIC	(][1	HORIZONTAL	ANGLE -	(SPECIFY	State of the state	Ranfelin	نمار	oli	nn	th		
DEPTH FROM SURFACE	METHO		1.0		DESCRIPTIO	r FOUID	Mailing Address P.O. Box 640551								
Ft. to Ft.	LDR				erial, grain s	ize, color, MIC (CITY	WEI	LOCA	TION:		STATE ZIP		
(1) 2"	HOW	1 TOR		_ (tueic	- 70	120	Address	Santa	RO	SA	15d	uve		
0 5	GE	244	ع)د		12 4	HA	tello	County	Sonoma						
3 8	SA	NO	,	8	SILL	CV		APN Book Page Parcel Township Range Section							
3 10	DE	eus	^	_ <	LA			Latitude NORTH Longitude wes							
8 20	Do	121	_ (8	20mm	12 B1	tra		OCATION SKET	сн —		T	ACTIVITY (∠) -		
	10	Au)		-4/1	6	,						NEW WELL DIFICATION/REPAIR		
	1			J		7.75				^		_	— Deepen — Other (Specify)		
		100		4						1	,	Œ	DESTROY (Describe Procedures and Material Under "GEOLOGIC LOG		
								-	1	$\mathcal{J}^{\mathcal{U}}$		PL/	ANNED USES (
	<u> </u>							1 0	lox,	~	= 0	-	Domestic Public Irrigation Industri		
								West ()	C,XOr		FAST		MONITORING		
	i				2			120	UN			CATH	TEST WELL ODIC PROTECTION		
	-							1	(h. /			1	HEAT EXCHANGE		
	1								0 /				DIRECT PUSH		
1	1							INJECTION VAPOR EXTRACTION							
										4.		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SPARGING		
1									SOUTH — SOUTH — REMEDIATION —						
							WATER LEVEL & YIELD OF COMPLETED WELL DEPTH TO FIRST WATER (FL) BELOW SURFACE DEPTH OF STATIC								
	1														
	1			/				WATER LEVEL	(Ft.) &	DATE MEAS	URED _				
TOTAL DEPTH OF TOTAL DEPTH OF				(Fee	The second second	0 0	1	TEST LENGTH	* (GPM	RAWDOWN		(Ft.)			
TOTAL DEFIN OF	COMPLET	ED W	ELL	_	-\$1900 opt	2		* May not be rep	resentative of a well'	s long-tern	ı yield.		-		
DEPTH FROM SURFACE	BORE- HOLE		E(CASING (S)		DEPTH FROM SURFACE	E	ANN		ULAR MATERIAL TYPE		
Ft. to Ft.	DIA. (Inches)	BLANK	DUCTOR	FILL PIPE	MATERIAL / GRADE	INTERNAL DIAMETER (Inches)			Ft. to Ft.	CE- MENT	BEN- TONITE	FILL	FILTER PACK (TYPE/SIZE)		
		-	H	+			S								
								1	l						
				1									0		
ATTACH	IMENTS (۷)			I the und			CERTIFICA	TION STATEME	NT —					
Geologic	e and accurate to t	he best of	my kn	owledg	e and belief.										
— Well Cons		gram			NAME (PERS	ON, FIRM, OR C	TYPED OR PRINTED) OR PRINTED)								
Soil/Wate	r Chemical A	Analyse	S		ADDRESS	30 U	1. Le	slege F	tue St	MA F	OSA	-(1	45401		
ATTACH ADDITIONAL IN		, IF IT	EXIST			4	Del		СПҮ	7/20	105	STATE	80357		
um too and		_			I WELL	DRILLER/AUTHOR	CIZED REPRESEN	MINE		DATE SIGNED	-	- 6-	57 LICENSE NUMBER		

SOIL BORING AND W								_ CONSTRUCTION LOG:						Project No.		
	CLEAR			127						<u> </u>	Sheet of					
	FIELD LOCATION OF BORING:								LTTC			NANNED USE	BORING DEPTH	MU-3		
	AZI SAUTA ROSA, CA. GALTA ROSA, CA. 95404						DENSUS COMPLETOR					DATE 21G TYPE	WELL DEPTH	BORDING PLAMETER		
1	She	SALTA KOSA, CAS						W.	PERA	TOO	t PRILLY	TORMACE WELL MATERIAL	SCREEN SLOT SIZE	TA HSA		
	95404						3		les		001 	GROUT	JACKEN SCOT SIZZ	- THE PACK		
							WELL !				_	DRILLING DATE:				
	7		ESTEMATED PERCENT					SAMPLING METHOD:								
	WELL CONSTRUCTION DITAIL	BYTERVAL INTERVAL INTERVAL RECOVERY AVALYTICAL WATER LEVEL LEVEL LEVEL					OVM READING (PTM)	PERCENT		CRAINING LOG	MONTTORING INSTRUMENT:					
PONTS	783	PLOWS/5" BYTERVAL	RECOVERY	(LY)	Es.	Fe	Z Z	ELVAR	0	e a	THU CHUIC	FIRST ENCOUNTERED W	TER DEPTH	7'		
14.	F 80 F	35	2 8	3	WATER	HTTEO (TEET)	86		SAMD	and	8	STATIC WATER DEPTH -	DATE 141			
				\mathbb{H}								Casuel.	<u> </u>			
1			H	H		1		-	a a comuni			saun -		1		
DRILLING STAKI)			4	Ħ	7	3 —						SILTY O	YELL =			
			_	\exists									1	× [
			1	Ħ		4)	* .			
			1	Ħ	- 1	5						- RROUM -	-chi	loome sit		
			1	Ħ	1	£ —				-#F11-			9	1250NG SILI		
	ο.			目	Ì	7 —) ,				
	8			\exists		8					,	₹'				
ā				\exists	ĺ	•					- 1					
			-	-		10 —						1		1		
			-	H		11 —					1					
			+	Н		12			-			/		(
			\top			บ —		-	-,			DADK	Booms -	BlACK		
			-	H		14						1 DREET	1	() Direct		
			7	H		15			-	=		/ (ery C	hey -			
LOCGED BY:	1.5		-	H		16			-				(
						17								1		
			-		- 1	18		#								
			+			19					1	1				
	ŀ		+-		- 1	20		-	-			J		1		
		-			1	}		-	-				۵ (
	-		-			21						grour_	-42 BA	95 cent		
	-	-				22						7		()		
			1			23			1							
	ļ		\pm			24		-	-							
			#			25										
		-	1			25		-						ļ		
	-			\dashv		27										
	-		1-	~-		28	-							- [
APPROVED BY	Ė	29												1		
APPR						30		-				ie.				